RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number:	10/660,998A
Source:	1FW16
Date Processed by STIC:	11/09/2006

ENTERED



DATE: 11/09/2006

TIME: 10:49:22

IFW16

Input Set : A:\10468.ST25.txt Output Set: N:\CRF4\11092006\J660998A.raw 3 <110> APPLICANT: Ecker, David J. Griffey, Richard H. Sampath, Rangarajan 5 Hofstadler, Steven A. 6 CP3-6,7) .7 McNeil, John Crooke, Stanley T. 8 9 Blyn, Lawrence B. 10 Hall, Thomas A. 11 Jiang, Yun Hannis, James C. 12 13 White, Neill Samant, Vivek 14 15 Eshoo, Mark W. Drader, Jaren J. 16 18 <120> TITLE OF INVENTION: Methods for Rapid Forensic Analysis of Mitochondrial DNA And 19 Characterization of Mitochondrial DNA Heteroplasmy 21 <130> FILE REFERENCE: IBIS0062-100 C--> 23 <140> CURRENT APPLICATION NUMBER: US/10/660,998A C--> 24 <141> CURRENT FILING DATE: 2003-09-12 26 <150> PRIOR APPLICATION NUMBER: 09/798,007 27 <151> PRIOR FILING DATE: 2001-03-21 29 <150> PRIOR APPLICATION NUMBER: 60/431,319 30 <151> PRIOR FILING DATE: 2002-12-06 32 <160> NUMBER OF SEQ ID NOS: 47 34 <170> SOFTWARE: PatentIn version 3.3 36 <210> SEO ID NO: 1 37 <211> LENGTH: 90 38 <212> TYPE: RNA 39 <213> ORGANISM: Bacillus anthracis 42 <220> FEATURE: 43 <221> NAME/KEY: misc feature 44 <222> LOCATION: (20)..(20) 45 <223> OTHER INFORMATION: N = A, U, G or C 47 <400> SEQUENCE: 1 60 W--> 48 gegaagaacc uuaccaggun uugacauccu cugacaaccc uagagauagg geuucuccuu 50 cgggagcaga gugacaggug gugcaugguu 90 53 <210> SEQ ID NO: 2 54 <211> LENGTH: 90 55 <212> TYPE: RNA 56 <213> ORGANISM: Bacillus cereus 58 <400> SEQUENCE: 2 60 59 qcqaaqaacc uuaccagquc uugacauccu cugaaaaccc uagagauagg gcuucuccuu 90 61 cgggagcaga gugacaggug gugcaugguu

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/660,998A

Input Set : A:\10468.ST25.txt

Output Set: N:\CRF4\11092006\J660998A.raw

64 <210> SEQ ID NO: 3 65 <211> LENGTH: 1542 66 <212> TYPE: RNA 67 <213> ORGANISM: Artificial Sequence 69 <220> FEATURE: 70 <223> OTHER INFORMATION: Synthetic 73 <220> FEATURE: 74 <221> NAME/KEY: misc_feature 75 <223> OTHER INFORMATION: 16S rRNA consensus sequence 77 <220> FEATURE: 78 <221> NAME/KEY: misc feature 79 <222> LOCATION: (1)..(7) 80 <223> OTHER INFORMATION: N= A, U, G or C 82 <220> FEATURE: 83 <221> NAME/KEY: misc_feature 84 <222> LOCATION: (19)..(19) 85 <223> OTHER INFORMATION: N= A, U, G or C 87 <220> FEATURE: 88 <221> NAME/KEY: misc_feature 89 <222> LOCATION: (28)..(30) 90 <223> OTHER INFORMATION: N= A, U, G or C 92 <220> FEATURE: 93 <221> NAME/KEY: misc_feature 94 <222> LOCATION: (43)..(45) 95 <223> OTHER INFORMATION: N= A, U, G or C 97 <220> FEATURE: 98 <221> NAME/KEY: misc_feature 99 <222> LOCATION: (48)..(48) 100 <223> OTHER INFORMATION: N= A, U, G or C 102 <220> FEATURE: 103 <221> NAME/KEY: misc_feature 104 <222> LOCATION: (50)..(50) 105 <223> OTHER INFORMATION: N= A, U, G or C 107 <220> FEATURE: 108 <221> NAME/KEY: misc feature 109 <222> LOCATION: (52)..(52) 110 <223> OTHER INFORMATION: N= A, U, G or C 112 <220> FEATURE: 113 <221> NAME/KEY: misc feature 114 <222> LOCATION: (66)..(66) 115 <223> OTHER INFORMATION: N= A, U, G or C 117 <220> FEATURE: 118 <221> NAME/KEY: misc feature 119 <222> LOCATION: (69)..(100) 120 <223> OTHER INFORMATION: N= A, U, G or C 122 <220> FEATURE:

123 <221> NAME/KEY: misc_feature 124 <222> LOCATION: (103)..(103)

125 <223> OTHER INFORMATION: N= A, U, G or C

Input Set : A:\10468.ST25.txt

Output Set: N:\CRF4\11092006\J660998A.raw

127 <220> FEATURE: 128 <221> NAME/KEY: misc feature 129 <222> LOCATION: (107)..(108) 130 <223> OTHER INFORMATION: N= A, U, G or C 132 <220> FEATURE: 133 <221> NAME/KEY: misc feature 134 <222> LOCATION: (121)..(122) 135 <223> OTHER INFORMATION: N= A, U, G or C 137 <220> FEATURE: 138 <221> NAME/KEY: misc_feature 139 <222> LOCATION: (124)..(124) 140 <223> OTHER INFORMATION: N= A, U, G or C 142 <220> FEATURE: 143 <221> NAME/KEY: misc_feature 144 <222> LOCATION: (126)..(129) 145 <223> OTHER INFORMATION: N= A, U, G or C 147 <220> FEATURE: 148 <221> NAME/KEY: misc feature 149 <222> LOCATION: (131)..(132) 150 <223> OTHER INFORMATION: N= A, U, G or C 152 <220> FEATURE: 153 <221> NAME/KEY: misc feature 154 <222> LOCATION: (134)..(134) 155 <223> OTHER INFORMATION: N= A, U, G or C 157 <220> FEATURE: 158 <221> NAME/KEY: misc feature 159 <222> LOCATION: (137)..(145) 160 <223> OTHER INFORMATION: N= A, U, G or C 162 <220> FEATURE: 163 <221> NAME/KEY: misc feature 164 <222> LOCATION: (148)..(148) 165 <223> OTHER INFORMATION: N= A, U, G or C 167 <220> FEATURE: 168 <221> NAME/KEY: misc_feature 169 <222> LOCATION: (150)..(150) 170 <223> OTHER INFORMATION: N= A, U, G or C 172 <220> FEATURE: 173 <221> NAME/KEY: misc feature 174 <222> LOCATION: (152)..(158) 175 <223> OTHER INFORMATION: N= A, U, G or C 177 <220> FEATURE: 178 <221> NAME/KEY: misc_feature 179 <222> LOCATION: (163)..(169) 180 <223> OTHER INFORMATION: N= A, U, G or C 182 <220> FEATURE: 183 <221> NAME/KEY: misc feature 184 <222> LOCATION: (177)..(178) 185 <223> OTHER INFORMATION: N= A, U, G or C

187 <220> FEATURE:

Input Set : A:\10468.ST25.txt

Output Set: N:\CRF4\11092006\J660998A.raw

188 <221> NAME/KEY: misc feature 189 <222> LOCATION: (181)..(194) 190 <223> OTHER INFORMATION: N= A, U, G or C 192 <220> FEATURE: 193 <221> NAME/KEY: misc_feature 194 <222> LOCATION: (199)..(226) 195 <223> OTHER INFORMATION: N= A, U, G or C 197 <220> FEATURE: 198 <221> NAME/KEY: misc_feature 199 <222> LOCATION: (229)..(237) 200 <223> OTHER INFORMATION: N= A, U, G or C 202 <220> FEATURE: 203 <221> NAME/KEY: misc feature 204 <222> LOCATION: (239)..(242) 205 <223> OTHER INFORMATION: N= A, U, G or C 207 <220> FEATURE: 208 <221> NAME/KEY: misc feature 209 <222> LOCATION: (245)..(245) 210 <223> OTHER INFORMATION: N= A, U, G or C 212 <220> FEATURE: 213 <221> NAME/KEY: misc feature 214 <222> LOCATION: (248)..(248) 215 <223> OTHER INFORMATION: N= A, U, G or C 217 <220> FEATURE: 218 <221> NAME/KEY: misc feature 219 <222> LOCATION: (250)..(250) 220 <223> OTHER INFORMATION: N= A, U, G or C 222 <220> FEATURE: 223 <221> NAME/KEY: misc feature 224 <222> LOCATION: (257)..(258) 225 <223> OTHER INFORMATION: N= A, U, G or C 227 <220> FEATURE: 228 <221> NAME/KEY: misc feature 229 <222> LOCATION: (264)..(264) 230 <223> OTHER INFORMATION: N= A, U, G or C 232 <220> FEATURE: 233 <221> NAME/KEY: misc feature 234 <222> LOCATION: (268)..(269) 235 <223> OTHER INFORMATION: N= A, U, G or C 237 <220> FEATURE: 238 <221> NAME/KEY: misc_feature 239 <222> LOCATION: (276)..(276) 240 <223> OTHER INFORMATION: n is a, c, g, or u 242 <220> FEATURE: 243 <221> NAME/KEY: misc_feature 244 <222> LOCATION: (278)..(280) 245 <223> OTHER INFORMATION: N= A, U, G or C 247 <220> FEATURE:

248 <221> NAME/KEY: misc_feature

Input Set : A:\10468.ST25.txt

Output Set: N:\CRF4\11092006\J660998A.raw

249 <222> LOCATION: (283)..(286) 250 <223> OTHER INFORMATION: N= A, U, G or C 252 <220> FEATURE: 253 <221> NAME/KEY: misc feature 254 <222> LOCATION: (291)..(291) 255 <223> OTHER INFORMATION: N= A, U, G or C 257 <220> FEATURE: 258 <221> NAME/KEY: misc_feature 259 <222> LOCATION: (293)..(294) 260 <223> OTHER INFORMATION: N= A, U, G or C 262 <220> FEATURE: 263 <221> NAME/KEY: misc feature 264 <222> LOCATION: (303)..(304) 265 <223> OTHER INFORMATION: N= A, U, G or C 267 <220> FEATURE: 268 <221> NAME/KEY: misc feature 269 <222> LOCATION: (306)..(307) 270 <223> OTHER INFORMATION: N= A, U, G or C 272 <220> FEATURE: 273 <221> NAME/KEY: misc feature 274 <222> LOCATION: (309)..(309) 275 <223> OTHER INFORMATION: N= A, U, G or C 277 <220> FEATURE: 278 <221> NAME/KEY: misc feature 279 <222> LOCATION: (316)..(316) 280 <223> OTHER INFORMATION: N= A, U, G or C 282 <220> FEATURE: 283 <221> NAME/KEY: misc_feature 284 <222> LOCATION: (320)..(320) 285 <223> OTHER INFORMATION: N= A, U, G or C 287 <220> FEATURE: 288 <221> NAME/KEY: misc_feature 289 <222> LOCATION: (328)..(328) 290 <223> OTHER INFORMATION: N= A, U, G or C 292 <220> FEATURE: 293 <221> NAME/KEY: misc feature 294 <222> LOCATION: (333)..(333) 295 <223> OTHER INFORMATION: N= A, U, G or C 297 <220> FEATURE: 298 <221> NAME/KEY: misc feature 299 <222> LOCATION: (337)..(337) 300 <223> OTHER INFORMATION: N= A, U, G or C 302 <220> FEATURE: 303 <221> NAME/KEY: misc feature 304 <222> LOCATION: (359)..(360) 305 <223> OTHER INFORMATION: N= A, U, G or C 307 <220> FEATURE: 308 <221> NAME/KEY: misc_feature

309 <222> LOCATION: (366)..(366)

Input Set : A:\10468.ST25.txt

Output Set: N:\CRF4\11092006\J660998A.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of/each sequence which presents at least one n or Xaa.

```
Seq#:1; N Pos. 20///////
Seq#:3; N Pos. 1,2,3,4,5,6,7,19,28,29,30,43,44,45,48,50,52,66,69,70,71,72
92ر94, 99, 99, 88, 88, 88, 88, 88, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92
Seq#:3; N Pos. 93,94,95,96,97,98,99,100,102,187,168,121,122,124,126,127,128
Seq#:3; N Pos. 129,131,192,134,137,138,139,140,141,142,143,144,145,148,150
Seq#:3; N Pos. 152,155,154,155,156,157,158,163,164,165,168,167,168,168,167,175
Seq#:3; N Pos. 178,181,182,183,184,185,186,187,186,189,196,191,192,193,194
Seq#:3; N Pos. 189,260,201,202,203,204,205,206,207,208,209,210,211,212,213
229, 226, 226, 225, 222, 222, 221, 220, 211<sub>4</sub>, 215, 216, 217, 218, 3; N Pos. 214, 215, 216, 217
Seq#:3; N Pos. 231,232,233,234,235,236,287,239,240,241,242,245,248,250,25
Seg#:3; N Pos. 258,264,268,269,276,278,279,288,284,285,286,291,293,284
Seq#:3; N Pos. 30,2,304,306,301,30,2,316,320,328,333,321,359,360,366,369,370
Seq#:3; N Pos. 371,378,379,381,384,385,390,391,392,396,398,399,407,408,409
Seq#:3; N Pos. 412,415,418,419,421,422,423,425,427,433,434,435,438,440,441
Seq#:3; N Pos. 442,443,444,445,446,449,452,453,454,455,456,457,458,459,460
Seq#:3; N Pos. 461,462,463,464,465,466,467,468,469,470,471,472,473,474,475
Seq#:3; N Pos. 476,477,478,479,484,485,488,489,490,491,492,493,494,496,497
Seq#:3; N Pos. 501,502,503,508,513,538,542,543,546,553,554,555,560,562,564
Seq#:3; N Pos. 576,578,579,580,582,586,589,590,591,592,593,594,595,596,599
Seq#:3; N Pos. 600,601,602,603,606,610,611,612,613,614,615,616,620,624,625
Seq#:3; N Pos. 626,627,628,629,630,631,632,633,635,636,637,638,639,640,641
Seq#:3; N Pos. 644,645,646,647,648,649,650,653,657,658,659,660,661,662,665
Seq#:3; N Pos. 668,669,670,671,672,673,679,680,681,682,689,694,698,701,705
Seq#:3; N Pos. 708,709,711,713,717,721,722,724,733,734,735,736,737,738,743
Seq#:3; N Pos. 744,745,746,747,748,755,758,760,761,762,763,771,776,780,808
Seq#:3; N Pos. 811,812,819,822,823,824,825,826,828,829,830,831,833,834,835
Seq#:3; N Pos. 837,838,839,840,841,842,843,844,845,846,847,848,849,850,851
Seq#:3; N Pos. 852,853,854,855,856,857,858,859,861,862,863,868,869,870,874
Seq#:3; N Pos. 875,876,877,878,895,896,903,904,906,916,929,932,941,943,948
Seq#:3; N Pos. 955,965,967,968,974,976,986,987,988,989,990,998,999,1000
Seq#:3; N Pos. 1001,1002,1003,1004,1005,1006,1007,1008,1009,1010,1011,1012
Seq#:3; N Pos. 1015,1017,1018,1019,1020,1021,1022,1023,1024,1025,1026,1027
Seq#:3; N Pos. 1028,1029,1030,1031,1032,1033,1034,1035,1036,1037,1038,1039
Seq#:3; N Pos. 1040,1041,1042,1043,1051,1059,1075,1076,1082,1100,1115,1116
Seq#:3; N Pos. 1117,1118,1119,1120,1121,1122,1123,1127,1129,1131,1133,1134
Seq#:3; N Pos. 1135,1136,1137,1138,1139,1140,1141,1143,1145,1150,1151,1152
Seq#:3; N Pos. 1153,1154,1155,1156,1163,1164,1165,1167,1168,1171,1172,1173
Seq#:3, N Pos. 1183,1189,1198,1201,1207,1214,1216,1217,1218,1219,1225,1231
Seq#:3; N Pos. 1233,1243,1244,1245,1246,1247,1251,1252,1254,1256,1257,1260
Seq#:3; N Pos. 1262,1263,1264,1265,1267,1268,1270,1271,1272,1273,1274,1278
Seq#:3; N Pos. 1281,1283,1284,1285,1286,1290,1291,1292,1293,1294,1297,1298
Seq#:3; N Pos. 1302,1308,1310,1311,1312,1313,1324,1325,1326,1327,1329,1335
Seq#:3; N Pos. 1336,1340,1354,1355,1356,1362,1364,1366,1367,1368,1383,1388
Seq#:3; N Pos. 1409,1410,1411,1414,1416,1417,1420,1421,1422,1423,1424,1425
```

Input Set : A:\10468.ST25.txt

Output Set: N:\CRF4\11092006\J660998A.raw

Seq#:3; N Pos. 1426,1427,1428,1431,1432,1436,1437,1438,1439,1440,1441,1442 Seq#:3; N Pos. 1443,1444,1445,1446,1447,1449,1450,1451,1452,1453,1454,1456 Seq#:3; N Pos. 1457,1458,1459,1460,1461,1462,1463,1464,1465,1467,1469,1472 Seq#:3; N Pos. 1473,1474,1475,1476,1477,1478,1479,1480,1481,1484,1489,1490 Seq#:3; N Pos. 1491,1508,1511,1514,1515,1516,1520,1521,1524,1527,1542 Seq#:4; N Pos. 1,2,3,4,8,9,10,11,12,16,18,19,20,21,22,34,38,39,40,41,42,43 Seq#:4; N Pos. 46,50,57,59,60,61,62,63,64,65,67,68,70,71,72,74,75,77,78,79

VERIFICATION SUMMARYDATE: 11/09/2006PATENT APPLICATION: US/10/660,998ATIME: 10:49:24

Input Set : A:\10468.ST25.txt

Output Set: N:\CRF4\11092006\J660998A.raw

L:23 M:270 C: Current Application Number differs, Replaced Current Application Number L:24 M:271 C: Current Filing Date differs, Replaced Current Filing Date L:48 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
L:1153 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
M:341 Repeated in SeqNo=3
L:3360 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
M:341 Repeated in SeqNo=4
L:4201 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:46 after pos.:0
M:341 Repeated in SeqNo=46
L:4251 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:47 after pos.:0

M:341 Repeated in SeqNo=47